

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|------------------------------|---|------------------|---------|------------------|
| L1 | 2 | ("6498333").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/26 07:48 |
| L2 | 1 | 1 and var\$6 adj2 attenuator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:14 |
| L3 | 255925 | emitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:15 |
| L4 | 16570 | var\$6 adj2 attenuat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:15 |
| L5 | 1176 | 4 and emitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:15 |
| L6 | 291 | 5 and controller | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:55 |
| L7 | 262 | 6 and (detect\$3 or sensor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:55 |
| L8 | 138 | 7 and sensitivity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:18 |
| L9 | 126 | 8 and value | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:19 |
| L10 | 102 | 9 and optical | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:55 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| L11 | 1 | variable adj2 common-emitter adj2 amplifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:54 |
| L12 | 1 | variable adj2 common adj2 emitter adj2 amplifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:54 |
| L13 | 1253 | common adj2 emitter adj2 amplifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:54 |
| L14 | 119 | 13 and optical | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:55 |
| L15 | 92 | 14 and (detect\$3 or sensor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 08:55 |
| L16 | 17 | 15 and controller | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:00 |
| L17 | 11113 | pull adj1 up adj2 resistor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:01 |
| L18 | 8 | pull adj1 up adj2 resistor same attenuator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:01 |
| L19 | 59 | pull adj1 up adj2 resistor same attenuat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:19 |
| L20 | 168 | ink adj jet adj printer same optical adj2 sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:20 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| L21 | 7 | 20 and attenuat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:24 |
| L22 | 0 | xerographic same optical adj2 sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:25 |
| L23 | 14809 | xerographic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:24 |
| L24 | 32 | xerographic same optical adj2 sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:32 |
| L25 | 8 | page adj2 position adj2 sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 09:32 |
| L26 | 6 | (US-6678224-\$ or US-5436880-\$ or US-6726313-\$ or US-6321043-\$ or US-6021285-\$ or US-5950040-\$).did. | USPAT | OR | ON | 2005/10/26 10:07 |
| L27 | 5 | 26 and voltage | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 10:07 |
| S1 | 2 | ("5696591").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/17 07:07 |